

Index

Index

- acamprosate 26
- adjustment disorder (F43.2) 19–21
 - counselling 20
 - diagnosis 19
 - differential diagnosis 19–20
 - information for patients and family 20, 21
 - medication 20
 - referral 20
- adolescents
 - depression 59
 - resources 123
- agitation, control 17
- agoraphobia 79–81
- akathisia 45–6
- alcohol misuse (F10) 22–7, 39, 40, 43, 44, 55, 174–5
 - action determination 173
 - advice/support to patient and family 23–5
 - anxiety 26
 - blood tests 23
 - counselling 26
 - dependence 22–3
 - depression 26, 59
 - detoxification 25, 26
 - diagnostic features 22–3
 - differential diagnosis 23
 - drug use disorders 63
 - eating disorders 68, 70
 - goal setting 175
 - harmful 22
 - information for patient and family 23, 27, 120–1
 - medication 25–6
 - Mental Health (Scotland) Act (1984) 113
 - post-traumatic stress disorder 82
 - presentation 22
 - progress review 175
 - referral 26
 - resources for patients and families 27, 120–1, 133
 - symptoms 172
 - treatment 172
- Alzheimer's disease 50, 53
- amitriptyline 97
- anorexia nervosa 67–70
 - resources 127
- anorgasmia 87
- anti-anxiety medication 17
 - panic disorder 77
 - phobic disorders 81
- anticholinesterase drugs 53
- antidepressants 57–8
 - anxiety 73
 - anxiety and depression 41
 - bipolar disorder 33–4
 - bulimia 69
 - dissociative (conversion) disorder 61
 - panic disorder 77
 - phobic disorders 81
 - post-traumatic stress disorder 83
 - unexplained somatic complaints 97
 - withdrawal 58
- antipsychotics 32–3, 45
 - atypical 17
 - delirium 49
 - dementia 53
 - injectable long-acting 45
 - side-effects 45–6
 - typical 17
- anxiety
 - adjustment disorder 20
 - alcohol misuse 26
 - antidepressants 73
 - attitude changes 176–7
 - common forms 176–7
 - exposure 176–7
 - management 73, 143
 - medication 176–7
 - panic disorder 75, 76
 - resources 121
 - symptoms 176–7
 - treatments 176–7
- anxiety and depression, chronic mixed (F41.2) 19, 39–42, 55
 - advice/support to patient and family 40–41
 - diagnosis 39

- anxiety and depression, chronic mixed (F41.2)—*contd*
 differential diagnosis 39–40
 information for patient and family 40, 42
 medication 41
 presentation 39
 referral 41
 anxiety, generalized (F41.1) 19, 23, 39, 71–74
 advice/support to patient and family 72
 cognitive/behavioural therapy (CBT) 73
 diagnosis/differential diagnosis 71
 drug use disorders 63
 information for patient and family 71, 73–4
 medication 73
 presentation 71
 referral 73
 sleep problems 92
 approved social worker (ASW) 141
 assessment under Mental Health Act England and Wales 103–6, 141
 assessment under Mental Health (Northern Ireland) Order 109–11, 141
 aspirin 53
 assertiveness training 143
 autism 99
 resources 129
 behavioural therapy 143
 post-traumatic stress disorder 84
see also cognitive behavioural therapy
 benefits resources 135
 benzodiazepines 33
 withdrawal 65
see also diazepam
 bereavement (Z63) 19, 28–30
 advice/support to patient and family 29
 counselling 29, 30
 depression 28–9
 diagnosis 28
 differential diagnosis 28–9
 information for patient and family 29, 30, 121–22
 medication 29
 presentation 28
 referral 30
 resources 30, 121–22
 sleep disturbance 29
 beta-blockers
 anxiety 73
 performance 81
 post-traumatic stress disorder 83
 binge eating 67, 69
 bipolar disorder (F31) 31–34, 39, 43, 55
 advice/support to patient and family 32
 diagnosis 31
 differential diagnosis 31
 information for patient and family 31–32, 34, 122
 medication 32–4
 presentation 31
 referral 34
 resources 34, 122
 breathing techniques 143
 relaxation 181
 British National Formulary (BNF) 4, 8
 bulimia 67–70
 resources 127
 buprenorphine 66
 bupropion 34
 carbamazepine 33
 care, shared 9
 Care Programme Approach (CPA) 7
 bipolar disorder 34
 chronic psychotic disorders 46
 carers
 needs 7
 resources 122–3
 Carer's Recognition and Services Act 7
 case registers, joint 9
 cerebral palsy resources 129
 child guidance clinics 142
 child psychiatric clinics 142
 children
 psychiatric assessment 142
 resources 123, 131–2
 chlordiazepoxide 25
 chronic fatigue/chronic fatigue syndrome 35–8, 178–9

- advice/support to
 - patient/family 36–7
- behavioural strategies 179
- depression 37
- diagnostic features 35
- differential diagnosis 36
- information for patient and
 - family 36, 37–8
- medication 37
- physical activity 179
- presentation 35
- referral 37
- treatments 178
- triggers 178
- chronic tiredness 178–9
- citalopram 57
 - panic disorder 77
- clinical psychologists 140
- clinical resources 138
- clomipramine 73, 90
- cocaine 65
- cognitive behavioural
 - psychotherapy and exposure 81
- cognitive behavioural therapy
 - (CBT) 144
 - anxiety 73
 - bulimia 70
 - unexplained somatic
 - complaints 97
- cognitive therapy 144
 - post-traumatic stress
 - disorder 84
- communication, primary and
 - secondary care 8–9
- community care workers 141–42
- community learning disability
 - nurses 142
- community mental health
 - services 46
 - liaison 137
- community mental health
 - teams 140
- community psychiatric
 - nurses 138
- community resources,
 - information 9
- compulsive behaviour,
 - behavioural therapy 143
- compulsory admission
 - Mental Health Act England and
 - Wales 103–6
 - Mental Health (Northern
 - Ireland) Order 107–11
 - Mental Health (Scotland)
 - Act 112–9
- copyright for diagnostic and
 - management summaries 9
- counselling 144
 - adjustment disorder 20
 - alcohol misuse 26
 - bereavement 29, 30
 - eating disorders 68, 69
 - primary care 148
 - relationship 85
 - resources 123–4
 - for professionals 132–3
- counsellors 4
- cross-cultural applicability 2
- day care services 142
- debt advice resources 125
- delirium (F05) 15, 48–9, 51
 - diagnosis 48
 - differential diagnosis 48–9
 - information, advice and support
 - for patient and family 49
 - medication 49
 - presentation 48
 - referral 49
- dementia (F00) 50–54, 99
 - advice/support to patient and
 - family 52–3
 - diagnosis 50–1
 - differential diagnosis 51
 - information for patient and
 - family 51–52, 54, 125
 - medication 53
 - presentation 50
 - referral 53
 - resources 54, 125
- depression (F32) 18, 23, 39, 43, 51,
 - 55–9, 180–1
 - advice/support to patient and
 - family 56–7
 - alcohol misuse 26
 - attitude changing 179
 - bereavement 28–9
 - bipolar disorder 31, 32, 122
 - care training 147
 - chronic fatigue/chronic fatigue
 - syndrome 37
 - diagnosis 55
 - differential diagnosis 55–6
 - dissociative (conversion)
 - disorder 60
 - drug use disorders 63

- depression (F32)—*contd*
 - eating disorders 67
 - female sexual disorders 85
 - information for patient and family 56, 59, 122, 125–6
 - learning disability 100
 - medication 57–8, 181
 - post-traumatic stress disorder 83
 - presentation 55
 - referral 58–9
 - resources 59, 122, 125–6
 - structured problem-solving 144–5, 181
 - symptoms 180
 - treatments 180
 - triggers 180
 - unexplained somatic complaints 95, 97
 - see also* bipolar disorder (F31)
- detoxification, alcohol misuse 25, 26
- diagnosis 2
 - multi-axial approach 7
- diagnostic categories 2
- diagnostic summaries
 - development 3–4
 - dissemination 9
 - evidence base 4–5
 - local adaptation 9
- diazepam 17
 - anxiety 73
 - bipolar disorder 33
- dieticians 142
- dissociative (conversion) disorder (F44) 20, 60–1
 - advice/support for patient and family 61
 - diagnosis/differential diagnosis 60
 - information for patient and family 60, 61
 - medication 61
 - presentation 60
 - referral 61
- domestic violence resources 125
- dothiepin 57–8
- Down's syndrome 99
 - resources 129
- driving, acute psychotic disorders 16
- drug use disorders (F11) 39, 40, 43, 44, 55, 62–6
- advice/support to patient and family 63–5
- depression 59
- diagnostic features 62–3
- differential diagnosis 63
- eating disorders 68, 70
- goals 63, 64
- harm reduction 63, 64
- information for patient and family 63, 66, 126–7
- medication 65–6
- Mental Health (Scotland) Act (1984) 113
- post-traumatic stress disorder 82
- presentation 62
- referral 66
- relapse 65
- resources 66, 126–7
- withdrawal 62, 65
- dyspareunia 86
- eating disorders (F50) 67–70
 - advice and support for patient and family 68–9
 - counselling 68, 69
 - diagnosis 67
 - differential diagnosis 67–8
 - information for patient and family 68, 70, 127
 - medication 69
 - presentation 67
 - referral 69–70
 - resources 70, 127
- education, mental health 147, 148
- education welfare officers 142
- educational psychologists 142
- ejaculation
 - premature 89–90
 - retarded 90
- epilepsy 99, 100
- erectile dysfunction 88–9
- ethnic minorities, resources 128
- evidence base for diagnostic and management summaries 4–5
- evidence-based mental health 139
- exposure therapy 81, 143, 175
- family therapy 70
- fluoxetine 57, 69

- general practitioner (GP)
 assessment under Mental Health Act England and Wales (1983) 103–6
 assessment under Mental Health (Northern Ireland) Order (1986) 107–11
 assessment under Mental Health (Scotland) Act (1984) 112–9
 graded exposure 143
 guidelines, locally adapted 9
 gynaecological disorders 85
- haloperidol 17, 45
 handbook use
 group use 8–9
 individual practitioner 6–8
 hearing impairment 99
 hepatitis 63
 HIV infection 63
 homelessness resources 135
Hypericum perforata 41, 57
 hyperventilation 143
 hypnotic medication 93
 hypothyroidism 99
- ICD-10 Chapter V 5–6
 ICD-10 classification of mental disorders 2, 4
 connections to 5–6
 ICD-10 PC 5–6
 imipramine 73
 unexplained somatic complaints 97
 inborn errors of metabolism 99
 insomnia *see* sleep problems (F51)
International Diagnostic and Management Guidelines for Mental Disorders in Primary Care (WHO) 3
 internet resources 139
 interpersonal therapy 144
- key worker
 appointment in psychotic disorders 17, 46
 bipolar disorder 34
 Korsakoff syndrome 113
- lead poisoning 99
 learning disability (F70) 3, 98–102
 advice/support for patient and family 99–100
- co-morbid condition diagnosis 98–9
 community nurses 142
 diagnostic features 98
 differential diagnosis 99
 information for patient and family 99, 101–2
 medication 100
 non-statutory services in Scotland 119
 presentation 98
 referral 100–1
 resources 128–9
 statutory services in Scotland 117–8
 teams 142
 transition plan 100
- Lewy-body disease 50, 53
 lithium 32, 33
 local anaesthetic sprays 90
 local services 9
 lofexidine 66
 lorazepam 17
 bipolar disorder 33
- management interventions 2
 management plans 3
 partnership with patient 6
 management summaries
 development 3–4
 dissemination 9
 evidence base 4–5
 local adaptation 9
 mania 31, 32, 122
see also bipolar disorder (F31)
Maudsley Prescribing Guidelines 18
 ME *see* chronic fatigue/chronic fatigue syndrome
 medication 7–8
 depression symptoms 56
 key statements 4–5
 recommendations 4, 5
 side-effects 18, 56
 memory loss 49–50
 mental disorders 103, 113
 Mental Health Act England and Wales (1983) 103
 Mental Health (Northern Ireland) Order (1986) 107, 108
 Mental Health (Scotland) Act (1984) 112, 113
 prevalence 11

- mental handicap, Mental Health (Northern Ireland) Order (1986) 108
- mental health
 - education 147, 148
 - evidence-based 139
 - professionals 140–2
 - resources 129–31
 - skills assessment 8
 - social workers 141
 - see also* community mental health services
- Mental Health Act England and Wales (1983) 3–4
 - admission arrangement 105–6
 - assessment 103–6
 - arrangements 104
 - process 104–5
 - Code of Practice 106
 - compulsory admission 103
 - legal issues 16
 - patients not admitted 106
 - use 103–4
 - warrants 103
- Mental Health (Northern Ireland) Order (1986) 107–11
 - admission arrangement 111
 - arranging assessment 108
 - community assessment 107
 - compulsory admission 107–8, 109–11
 - follow-up for patient not admitted 111
 - hospital assessment 107
 - information for assessment 109
 - serious physical harm 107, 108, 110–1
- Mental Health Officer (MHO) 113–6, 141
- Mental Health (Scotland) Act (1984) 112–9
 - assessment 114–5
 - Code of Practice 116
 - compulsory admission 113, 115–6
 - detained patient on leave of absence 112–3
 - emergency detention 116
 - recommendation 112
 - follow-up care for patients not admitted 116
 - information for assessment 113–4
 - local statutory services 117, 118
 - non-emergency admission 112
 - non-statutory services 119
 - power of entry 112
- mental illness
 - Mental Health Act England and Wales (1983) 103
 - Mental Health (Northern Ireland) Order (1986) 108
 - Mental Health (Scotland) Act (1984) 113
 - resources 129–31
- mental impairment
 - Mental Health Act England and Wales (1983) 103
 - Mental Health (Northern Ireland) Order (1986) 108
 - Mental Health (Scotland) Act (1984) 113
- mental retardation *see* learning disability (F70)
- methadone 64, 65, 66
- narcolepsy 93
- neuroleptic malignant syndrome 17
- night terrors 93
- non-compliance 6
 - acute psychotic disorders 17
- non-statutory organizations, referral 12
- nurse
 - child guidance/psychiatric clinics 142
 - community learning disability 142
 - community psychiatric 140
 - primary care 4
- obsessional behaviour 143
- obsessive compulsive disorder 143
- occupational therapists 141, 142
- olanzapine 17, 45
- opiates 65, 66
- orgasmic dysfunction 88
- panic disorder (F41.0) 75–8
 - advice/support for patient and family 76
 - diagnosis 75
 - differential diagnosis 75

- graded exposure 143
- information for patient and
 - family 75–6, 77–8
 - medication 76–7
 - presentation 75
 - resources 77–8, 121
- paranoid psychosis, drug-induced 113
- parents, resources 131–32
- parkinsonism 45, 49
- paroxetine 57, 73, 80
- panic disorder 77
- patient groups 4
- patient information 136–7
 - leaflets 9
- patients
 - partners 6
 - responsibility to help selves 6
 - support 136–7
- phenylketonuria 99
- phobic disorders (F40) 79–81
 - advice/support for patient and family 79–81
 - behavioural therapy 143
 - diagnosis 79
 - differential diagnosis 79
 - graded exposure 143
 - information for patient and family 79, 81
 - presentation 79
 - referral 81
 - resources 81, 121
- physical harm
 - resources 133
 - serious 107–8, 110–1
- physiotherapists 142
- play therapists 142
- post-traumatic stress disorder (F43.1) 19, 71, 82–4
 - advice/support for patient and family 83
 - depression 83
 - diagnostic features 82
 - differential diagnosis 82–3
 - information for patient and family 83, 84
 - medication 83
 - presentation 82
 - referral 84
- practice organization 136
- primary care
 - counselling 148
 - facilitation programme 148
- group and mental health skills
 - assessment 8
 - nurses 4
 - service development 138–9
 - team
 - stress management 137
 - working 8–9
 - see also* training
- problem-solving, structured 96–7, 143, 144–5, 179
 - anxiety 40–1
- prostaglandin E₁ 89
- psychiatrists 140, 142
- psychoanalysts 141
- psychodynamic therapy 145
- psychological therapies 137, 143–5
- psychologists 142
 - clinical 140
- psychopathic disorder 103
- psychosexual treatment 88–9
- psychotherapists 141
- psychotherapy 4–5
 - analytical 145
 - anorexia 70
 - resources 123–5
- psychotic disorders, drug use disorders 63
- psychotic disorders, acute (F23) 15–8, 55
 - advice 16
 - diagnostic features 15
 - differential diagnosis 15–6
 - family information 16
 - information for patient and carer 16, 44, 46–7
 - medication 17–8
 - presentation 15
 - referral 16–7
 - relapses 17
 - resources for patients and families 18
 - support 16
- psychotic disorders, chronic (F20) 43–7
 - advice/support for patient and carer 44–5
 - diagnosis 43
 - differential diagnosis 43–4
 - medication 45–6
 - presentation 43
 - referral 46
- public health 2

- referral
 - criteria 12–3
 - information required 12–3
 - letters 12
 - recommendations 4
- relationship problems
 - resources 132
- relaxation training 40, 143
- resources 1–2
 - in the community 9
 - directory 12
- risperidone 17, 45

- St. John's wort 41, 57
- schizophrenia, resources 133
- schools, education services 142
- secondary care
 - referral 12
 - team working 8–9
- selective serotonin re-uptake inhibitor (SSRI) 90
 - alcohol misuse 26
 - chronic fatigue/chronic fatigue syndrome 37
 - panic disorder 77
 - post-traumatic stress disorder 83
- self-harm 133
- self-management 145
- service provision, gaps 8
- sexual desire lack/loss 85–6, 90
- sexual disorders
 - behavioural therapy 143
 - female (F52) 85–7
 - diagnosis/differential diagnosis 85
 - information, advice and support for patient and partner 85–7
 - presentation 85
 - referral 87
 - male (F52) 88–91
 - diagnosis/differential diagnosis 88
 - information, advice and support for patient and partner 88–90, 91
 - medication 89
 - presentation 88
 - referral 90
- Sheriff, compulsory admission in Scotland 115
- sildenafil 89

- sleep apnoea 92
- sleep hygiene training 93
- sleep problems (F51) 37, 92–4, 182–3
 - advice/support for family 93
 - bereavement 29
 - causes 180
 - depression 58
 - diagnosis/differential diagnosis 92
 - information for patient and family 92, 94
 - lifestyle change strategies 182
 - medication 93, 183
 - presentation 92
 - referral 93
 - slow breathing for relaxation 181
 - symptoms 182
 - treatments 182
- social care
 - services 142
 - team working 8–9
- social phobia 79–81
- Social Services
 - carer needs assessment 7
 - referral 12
 - transition plan for person with learning disability 100
- social workers
 - child guidance/psychiatric clinics 142
 - mental health 141
 - see also* approved social worker (ASW)
- sodium valproate 33
- somatic complaints, unexplained (F45) 19, 39–40, 56, 60, 95–7, 184–5
 - advice/support to patient and family 96–7
 - attitude changing 185
 - diagnosis 95
 - differential diagnosis 95
 - information for patient/family 95–6
 - medication 97
 - physical activity 185
 - presentation 95
 - referral 97
 - strategies 185
 - treatments 184–5
- somnambulism 93

speech and language therapists 142
 SSRI *see* selective serotonin re-uptake inhibitor (SSRI)
 street drugs, co-morbid use 17
 stress
 acute reaction 19–21
 anxiety 40
 erectile dysfunction 88–9
 management 143
 for primary-care team 137
 parental 131–2
 reduction 71, 72
 resources for professionals 132–3
 sleep problems 92
 unexplained somatic complaints 95, 96
 stressful events 20
 substance abuse, liaison with services 137
 suicidal feelings, resources 134
 suicide risk 29, 32, 41, 56, 70
 post-traumatic stress disorder 83
 support workers 141–2
 team working 8–9
 thiamine in alcohol misuse 24, 25
 tiredness, chronic *see* chronic fatigue/chronic fatigue syndrome
 training 146–51
 courses 147–8
 information 146–7
 primary care 8
 resources for trainers 148–51
 skills-based 148–51
 trauma, resources 134
 tricyclic antidepressants 57–8
 chronic fatigue/chronic fatigue syndrome 37
 panic disorder 77
 post-traumatic stress disorder 83
 unexplained somatic complaints 97
 vaginismus 86
 valerian 93
 vascular dementia 50, 53
 venlafaxine 73
 victim support resources 134
 visual impairment 99
 voluntary organizations, referral 12
 unexplained somatic complaints 184–5
 welfare resources 135

